
Inventor: Nicoll Ryan Edwards et al.

Docket No.: 50028.03USU1


Title: METHOD AND APPARATUS TO PACKAGE IN ELECTRICALLY CONNECT TO A MICRODISPLAY.



2. Edwards

Figure 1: Exploded view of Art 1 (Prior Art)

Inventor: Micoll Ryan Edwards et al.
Docket No.: 50028.03USUI
Title: METHOD AND APPARATUS TO PACKAC
ELECTRICALLY CONNECT TO A MICRODISPL



L. Edwards

Figure 2: Exploded view of Art 2. (Prior Art)

Inventor Nicoll Ryan Edwards et al Docket No.: 50028.03USUI
Title: METHOD AND APPARATUS TO PACKAGI ELECTRICALLY CONNECT TO A MICRODISPLA






Figure 3: Exploded view of Art 3. (Prior Art)



Inventor 'Nicoll Ryah Edwards et al Docket No.: 50028.03USU1

Tide: METHOD AND APPARATUS TO PACKAGE A ELECTRICALLY CONNECT TO A MICRODISPLAY




Figure 4: Exploded view of one Embodiment of the Invention




Figure 5: Detail A illustrates the pin to microdisplay wire bond and the test probe access to the Design's pins. Detail B shows the interconnect bar to microdisplay connection.